

Tread Codes		
I-1	I-2	I-3

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Reference Speed: 30 mph		TIRE LOAD LIMITS (LBS.) AT VARIOUS COLD INFLATION PRESSURES (PSI)													
Tire Size	Speed	20	24	28	32	36	40	44	48	52	56	60	64	72	80
4.00-9SL	30 mph	--	365 (2)	410	440	480	520	550 (4)							
	Duals	--	320	360	385	420	460	485							
	10 mph	--	420	470	505	550	600	635							
	Duals	--	370	415	445	485	530	560							
	Stationary	--	730	820	880	960	1040	1100							
	Duals	--	640	720	775	845	915	970							
4.00-12SL	30 mph	--	440 (2)	495	535	585	640	675 (4)							
	Duals	--	385	435	470	515	565	595							
	10 mph	--	505	570	615	675	735	775							
	Duals	--	445	500	540	595	645	680							
	Stationary	--	880	990	1070	1170	1280	1350							
	Duals	--	775	870	940	1030	1125	1190							
4.00-18SL	30 mph	--	585 (2)	660	715	785	825	880 (4)							
	Duals	--	515	580	630	690	725	775							
	10 mph	--	675	760	820	905	950	1010							
	Duals	--	595	670	720	795	835	890							
	Stationary	--	1170	1320	1430	1570	1650	1760							
	Duals	--	1030	1160	1260	1380	1450	1550							
5.00-15SL	30 mph	--	715	805	880	965 (4)									
	Duals	--	630	710	775	850									
	10 mph	--	820	925	1010	1110									
	Duals	--	720	815	890	975									
	Stationary	--	1430	1610	1760	1930									
	Duals	--	1260	1415	1550	1700									
5.90-15SL	30 mph	--	855	935	1050	1140 (4)									
	Duals	--	750	825	925	1005									
	10 mph	--	985	1075	1210	1310									
	Duals	--	865	945	1065	1155									
	Stationary	--	1710	1870	2100	2280									
	Duals	--	1505	1645	1850	2005									
6.00-16SL	30 mph	--	1020	1140	1230 (4)	1360	1430	1520 (6)							
	Duals	--	900	1005	1080	1195	1260	1340							
	10 mph	--	1175	1310	1415	1565	1645	1750							
	Duals	--	1035	1155	1245	1375	1450	1540							
	Stationary	--	2040	2280	2460	2720	2860	3040							
	Duals	--	1795	2005	2165	2395	2515	2675							
6.50-16SL	30 mph	--	1140	1280 (4)	1390	1520	1610	1710 (6)							
	Duals	--	1005	1125	1225	1340	1415	1505							
	10 mph	--	1310	1470	1600	1750	1850	1965							
	Duals	--	1155	1295	1410	1540	1630	1730							
	Stationary	--	2280	2560	2780	3040	3220	3420							
	Duals	--	2005	2255	2445	2675	2835	3010							
6.70-15SL	30 mph	--	1070	1170	1280 (4)	1390	1520	1610 (6)							
	Duals	--	940	1030	1125	1225	1340	1415							
	10 mph	--	1230	1345	1470	1600	1750	1850							
	Duals	--	1080	1185	1295	1410	1540	1630							
	Stationary	--	2140	2340	2560	2780	3040	3220							
	Duals	--	1885	2060	2255	2445	2675	2835							
7.50-14SL	30 mph	--	1230	1360 (4)											
	Duals	--	1080	1195											
	10 mph	--	1415	1565											
	Duals	--	1245	1375											
	Stationary	--	2460	2720											
	Duals	--	2165	2395											
7.50-16SL	30 mph	--	1480	1650 (4)	1820	1930 (6)	2090	2200	2340 (8)	2470	2600	2680 (10)			
	Duals	--	1300	1450	1600	1700	1840	1935	2060	2175	2290	2360			
	10 mph	--	1700	1895	2095	2220	2405	2530	2690	2840	2990	3080			
	Duals	--	1495	1670	1845	1955	2115	2225	2365	2500	2630	2710			
	Stationary	--	2960	3300	3640	3860	4180	4400	4680	4940	5200	5360			
	Duals	--	2605	2905	3205	3395	3680	3870	4120	4345	4575	4715			
7.50-18SL	30 mph	--	1520	1710 (4)											
	Duals	--	1340	1505											
	10 mph	--	1750	1965											
	Duals	--	1540	1730											
	Stationary	--	3040	3420											
	Duals	--	2675	3010											

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Tread Codes		
I-1	I-2	I-3

Reference Speed: 50 km/h		TIRE LOAD LIMITS (kg) AT VARIOUS COLD INFLATION PRESSURES (kPa)													
Tire Size	Speed	140	165/170	190	220	250	275/280	300	330	360	385/380	415/410	440	500	550
		1.4	1.7	1.9	2.2	2.5	2.8	3	3.3	3.6	3.8	4.1	4.4	5	5.5
4.00-9SL	50 km/h	--	165 (2)	185	200	218	236	250 (4)							
	Duals	--	145	165	175	190	210	220							
	15 km/h	--	190	215	230	250	270	290							
	Duals	--	165	190	200	220	240	255							
	Stationary	--	330	370	400	435	470	500							
	Duals	--	290	325	350	385	415	440							
4.00-12SL	50 km/h	--	200 (2)	224	243	265	290	307 (4)							
	Duals	--	175	195	215	235	255	270							
	15 km/h	--	230	260	280	305	335	355							
	Duals	--	200	230	245	270	295	310							
	Stationary	--	400	450	485	530	580	615							
	Duals	--	350	395	425	465	510	540							
4.00-18SL	50 km/h	--	265 (2)	300	325	355	375	400 (4)							
	Duals	--	235	265	285	310	330	350							
	15 km/h	--	305	345	375	410	430	460							
	Duals	--	270	305	330	360	380	405							
	Stationary	--	530	600	650	710	750	800							
	Duals	--	465	530	570	625	660	705							
5.00-15SL	50 km/h	--	325	365	400	437 (4)									
	Duals	--	285	320	350	385									
	15 km/h	--	375	420	460	505									
	Duals	--	330	370	405	445									
	Stationary	--	650	730	800	875									
	Duals	--	570	640	705	770									
5.90-15SL	50 km/h	--	387	425	475	515 (4)									
	Duals	--	340	375	420	455									
	15 km/h	--	445	490	545	590									
	Duals	--	390	430	480	520									
	Stationary	--	775	850	950	1030									
	Duals	--	680	750	835	905									
6.00-16SL	50 km/h	--	462	515	560 (4)	615	650	690 (6)							
	Duals	--	405	455	495	540	570	605							
	15 km/h	--	530	590	645	705	745	795							
	Duals	--	465	520	570	620	655	700							
	Stationary	--	925	1030	1120	1230	1300	1380							
	Duals	--	815	905	985	1080	1145	1215							
6.50-16SL	50 km/h	--	515	580 (4)	630	690	730	775 (6)							
	Duals	--	455	510	555	605	640	680							
	15 km/h	--	590	665	725	795	840	890							
	Duals	--	520	585	640	700	740	785							
	Stationary	--	1030	1160	1260	1380	1460	1550							
	Duals	--	905	1020	1110	1215	1285	1365							
6.70-15SL	50 km/h	--	487	530	580 (4)	630	690	730 (6)							
	Duals	--	430	465	510	555	605	640							
	15 km/h	--	560	610	665	725	795	840							
	Duals	--	495	535	585	640	700	740							
	Stationary	--	975	1060	1160	1260	1380	1460							
	Duals	--	860	935	1020	1110	1215	1285							
7.50-14SL	50 km/h	--	560	615 (4)											
	Duals	--	495	540											
	15 km/h	--	645	705											
	Duals	--	570	620											
	Stationary	--	1120	1230											
	Duals	--	985	1080											
7.50-16SL	50 km/h	--	670	750 (4)	825	875 (6)	950	1000	1060 (8)	1120	1180	1215 (10)			
	Duals	--	590	660	725	770	835	880	935	985	1040	1070			
	15 km/h	--	770	860	950	1005	1095	1150	1220	1290	1355	1395			
	Duals	--	680	755	835	885	965	1010	1075	1135	1190	1230			
	Stationary	--	1340	1500	1650	1750	1900	2000	2120	2240	2360	2430			
	Duals	--	1180	1320	1450	1540	1670	1760	1865	1970	2075	2140			
7.50-18SL	50 km/h	--	690	775 (4)											
	Duals	--	605	680											
	15 km/h	--	795	890											
	Duals	--	700	785											
	Stationary	--	1380	1550											
	Duals	--	1215	1365											

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Tread Codes		
I-1	I-2	I-3

Reference Speed: 30 mph		TIRE LOAD LIMITS (LBS.) AT VARIOUS COLD INFLATION PRESSURES (PSI)													
Tire Size	Speed	20	24	28	32	36	40	44	48	52	56	60	64	72	80
7.50-20SL	30 mph	--	1610	1760 (4)	1930	2090 (6)	2270	2400	2540 (8)	2680	2760	2910 (10)			
	Duals	--	1415	1550	1700	1840	2000	2110	2235	2360	2430	2560			
	10 mph	--	1850	2025	2220	2405	2610	2760	2920	3080	3175	3345			
	Duals	--	1630	1780	1955	2115	2295	2430	2570	2710	2795	2945			
	Stationary	--	3220	3520	3860	4180	4540	4800	5080	5360	5520	5820			
	Duals	--	2835	3100	3395	3680	3995	4225	4470	4715	4860	5120			
7.50-24SL	30 mph	--	1650	1870 (4)	2040	2200 (6)	2340	2540	2680 (8)						
	Duals	--	1450	1645	1795	1935	2060	2235	2360						
	10 mph	--	1895	2150	2345	2530	2690	2920	3080						
	Duals	--	1670	1890	2065	2225	2365	2570	2710						
	Stationary	--	3300	3740	4080	4400	4680	5080	5360						
	Duals	--	2905	3290	3590	3870	4120	4470	4715						
7.60-15SL	30 mph	--	1230	1390 (4)	1520	1650	1760 (6)	1870	1980	2090 (8)	2200	2270	2400 (10)		
	Duals	--	1080	1225	1340	1450	1550	1645	1740	1840	1935	2000	2110		
	10 mph	--	1415	1600	1750	1895	2025	2150	2275	2405	2530	2610	2760		
	Duals	--	1245	1410	1540	1670	1780	1890	2000	2115	2225	2295	2430		
	Stationary	--	2460	2780	3040	3300	3520	3740	3960	4180	4400	4540	4800		
	Duals	--	2165	2445	2675	2905	3100	3290	3485	3680	3870	3995	4225		
8.5L-14SL	30 mph	1230	1390 (4)	1570	1710	1870 (6)									
	Duals	1080	1225	1380	1505	1645									
	10 mph	1415	1600	1805	1965	2150									
	Duals	1245	1410	1590	1730	1890									
	Stationary	2460	2780	3140	3420	3740									
	Duals	2165	2445	2765	3010	3290									
9.00-10SL	30 mph	--	1480 (4)												
	Duals	--	1300												
	10 mph	--	1700												
	Duals	--	1495												
	Stationary	--	2960												
	Duals	--	2605												
9.00-16SL	30 mph	--	1980 (4)	2200	2400 (6)	2600	2760	2910 (8)	3080	3300 (10)					
	Duals	--	1740	1935	2110	2290	2430	2560	2710	2905					
	10 mph	--	2275	2530	2760	2990	3175	3345	3540	3795					
	Duals	--	2000	2225	2430	2630	2795	2945	3115	3340					
	Stationary	--	3960	4400	4800	5200	5520	5820	6160	6600					
	Duals	--	3485	3870	4225	4575	4860	5120	5420	5810					
9.00-24SL	30 mph	--	2540	2830 (6)	3080	3300	3520 (8)								
	Duals	--	2235	2490	2710	2905	3100								
	10 mph	--	2920	3255	3540	3795	4050								
	Duals	--	2570	2865	3115	3340	3565								
	Stationary	--	5080	5660	6160	6600	7040								
	Duals	--	4470	4980	5420	5810	6195								
9.5L-14SL	30 mph	1390	1570 (4)	1760	1930 (6)	2090	2200	2400 (8)							
	Duals	1225	1380	1550	1700	1840	1935	2110							
	10 mph	1600	1805	2025	2220	2405	2530	2760							
	Duals	1410	1590	1780	1955	2115	2225	2430							
	Stationary	2780	3140	3520	3860	4180	4400	4800							
	Duals	2445	2765	3100	3395	3680	3870	4225							
9.5L-15SL	30 mph	1430	1650 (4)	1820	2040 (6)	2200	2340	2470 (8)	2600	2760 (10)	2910	3000	3200 (12)	3420 (14)	3640 (16)
	Duals	1260	1450	1600	1795	1935	2060	2175	2290	2430	2560	2640	2815	3010	3205
	10 mph	1645	1895	2095	2345	2530	2690	2840	2990	3175	3345	3450	3680	3935	4185
	Duals	1450	1670	1845	2065	2225	2365	2500	2630	2795	2945	3035	3240	3465	3685
	Stationary	2860	3300	3640	4080	4400	4680	4940	5200	5520	5820	6000	6400	6840	7280
	Duals	2515	2905	3205	3590	3870	4120	4345	4575	4860	5120	5280	5630	6020	6405
10.00-15SL	30 mph	--	2270	2540 (6)	2760	3000	3200 (8)	3420	3640 (10)	3740	3960 (12)	4180	4300 (14)	4680 (16)	
	Duals	--	2000	2235	2430	2640	2815	3010	3205	3290	3485	3680	3785	4120	
	10 mph	--	2610	2920	3175	3450	3680	3935	4185	4300	4555	4805	4945	5380	
	Duals	--	2295	2570	2795	3035	3240	3465	3685	3785	4010	4230	4350	4735	
	Stationary	--	4540	5080	5520	6000	6400	6840	7280	7480	7920	8360	8600	9360	
	Duals	--	3995	4470	4860	5280	5630	6020	6405	6580	6970	7355	7570	8235	
10.5/80-18 2830@33psi 3840@54psi	30 mph	1980	2270 (4)	2540	2760	3000 (6)	3200	3420 (8)	3640	3740					
	Duals	1740	2000	2235	2430	2640	2815	3010	3205	3290					
	10 mph	2275	2610	2920	3175	3450	3680	3935	4185	4300					
	Duals	2000	2295	2570	2795	3035	3240	3465	3685	3785					
	Stationary	3960	4540	5080	5520	6000	6400	6840	7280	7480					
	Duals	3485	3995	4470	4860	5280	5630	6020	6405	6580					

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Reference Speed: 50 km/h		TIRE LOAD LIMITS (kg) AT VARIOUS COLD INFLATION PRESSURES (kPa)													
Tire Size	Speed	140	165/170	190	220	250	275/280	300	330	360	385/380	415/410	440	500	550
		1.4	1.7	1.9	2.2	2.5	2.8	3	3.3	3.6	3.8	4.1	4.4	5	5.5
7.50-20SL	50 km/h	--	730	800 (4)	875	950 (6)	1030	1090	1150 (8)	1215	1250	1320 (10)			
	Duals	--	640	705	770	835	905	960	1010	1070	1100	1160			
	15 km/h	--	840	920	1005	1095	1185	1255	1325	1395	1440	1520			
	Duals	--	740	810	885	965	1045	1105	1165	1230	1265	1340			
	Stationary	--	1460	1600	1750	1900	2060	2180	2300	2430	2500	2640			
	Duals	--	1285	1410	1540	1670	1815	1920	2025	2140	2200	2325			
7.50-24SL	50 km/h	--	750	850 (4)	925	1000 (6)	1060	1150	1215 (8)						
	Duals	--	660	750	815	880	935	1010	1070						
	15 km/h	--	860	975	1065	1150	1220	1325	1395						
	Duals	--	755	860	935	1010	1075	1165	1230						
	Stationary	--	1500	1700	1850	2000	2120	2300	2430						
	Duals	--	1320	1495	1630	1760	1865	2025	2140						
7.60-15SL	50 km/h	--	560	630 (4)	690	750	800 (6)	850	900	950 (8)	1000	1030	1090 (10)		
	Duals	--	495	555	605	660	705	750	790	835	880	905	960		
	15 km/h	--	645	725	795	860	920	975	1035	1095	1150	1185	1255		
	Duals	--	570	640	700	755	810	860	910	965	1010	1045	1105		
	Stationary	--	1120	1260	1380	1500	1600	1700	1800	1900	2000	2060	2180		
	Duals	--	985	1110	1215	1320	1410	1495	1585	1670	1760	1815	1920		
8.5L-14SL	50 km/h	560	630 (4)	710	775	850 (6)									
	Duals	495	555	625	680	750									
	15 km/h	645	725	815	890	975									
	Duals	570	640	715	785	860									
	Stationary	1120	1260	1420	1550	1700									
	Duals	985	1110	1250	1365	1495									
9.00-10SL	50 km/h	600	670 (4)												
	Duals	530	590												
	15 km/h	690	770												
	Duals	605	680												
	Stationary	1200	1340												
	Duals	1055	1180												
9.00-16SL	50 km/h	775	900 (4)	1000	1090 (6)	1180	1250	1320 (8)	1400	1500 (10)					
	Duals	680	790	880	960	1040	1100	1160	1230	1320					
	15 km/h	890	1035	1150	1255	1355	1440	1520	1610	1725					
	Duals	785	910	1010	1105	1190	1265	1340	1415	1520					
	Stationary	1550	1800	2000	2180	2360	2500	2640	2800	3000					
	Duals	1365	1585	1760	1920	2075	2200	2325	2465	2640					
9.00-24SL	50 km/h	1000 (4)	1150	1285 (6)	1400	1500	1600 (8)								
	Duals	880	1010	1130	1230	1320	1410								
	15 km/h	1150	1325	1480	1610	1725	1840								
	Duals	1010	1165	1300	1415	1520	1620								
	Stationary	2000	2300	2570	2800	3000	3200								
	Duals	1760	2025	2260	2465	2640	2815								
9.5L-14SL	50 km/h	630	710 (4)	800	875 (6)	950	1000	1090 (8)							
	Duals	555	625	705	770	835	880	960							
	15 km/h	725	815	920	1005	1095	1150	1255							
	Duals	640	715	810	885	965	1010	1105							
	Stationary	1260	1420	1600	1750	1900	2000	2180							
	Duals	1110	1250	1410	1540	1670	1760	1920							
9.5L-15SL	50 km/h	650	750 (4)	825	925 (6)	1000	1060	1120 (8)	1180	1250 (10)	1320	1360	1450 (12)	1550 (14)	1650 (16)
	Duals	570	660	725	815	880	935	985	1040	1100	1160	1195	1275	1365	1450
	15 km/h	745	860	950	1065	1150	1220	1290	1355	1440	1520	1565	1665	1780	1895
	Duals	655	755	835	935	1010	1075	1135	1190	1265	1340	1375	1465	1565	1670
	Stationary	1300	1500	1650	1850	2000	2120	2240	2360	2500	2640	2720	2900	3100	3300
	Duals	1145	1320	1450	1630	1760	1865	1970	2075	2200	2325	2395	2550	2730	2905
10.00-15SL	50 km/h	900 (4)	1030	1150 (6)	1250	1360	1450 (8)	1550	1650 (10)	1700	1800 (12)	1900	1950 (14)	2120 (16)	
	Duals	790	905	1010	1100	1195	1275	1365	1450	1495	1585	1670	1715	1865	
	15 km/h	1035	1185	1325	1440	1565	1665	1780	1895	1955	2070	2185	2245	2440	
	Duals	910	1045	1165	1265	1375	1465	1565	1670	1720	1820	1925	1975	2145	
	Stationary	1800	2060	2300	2500	2720	2900	3100	3300	3400	3600	3800	3900	4240	
	Duals	1585	1815	2025	2200	2395	2550	2730	2905	2990	3170	3345	3430	3730	
10.5/80-18 1280@230kPa 1740@370kPa	50 km/h	900	1030 (4)	1150	1250	1360 (6)	1450	1550 (8)	1650	1700					
	Duals	790	905	1010	1100	1195	1275	1365	1450	1495					
	15 km/h	1035	1185	1325	1440	1565	1665	1780	1895	1955					
	Duals	910	1045	1165	1265	1375	1465	1565	1670	1720					
	Stationary	1800	2060	2300	2500	2720	2900	3100	3300	3400					
	Duals	1585	1815	2025	2200	2395	2550	2730	2905	2990					

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Reference Speed: 30 mph		TIRE LOAD LIMITS (LBS.) AT VARIOUS COLD INFLATION PRESSURES (PSI)													
Tire Size	Speed	20	24	28	32	36	40	44	48	52	56	60	64	72	80
11L-14SL	30 mph	1610 (4)	1870	2040 (6)	2270	2470 (8)									
	Duals	1415	1645	1795	2000	2175									
	10 mph	1850	2150	2345	2610	2840									
	Duals	1630	1890	2065	2295	2500									
	Stationary	3220	3740	4080	4540	4940									
Duals	2835	3290	3590	3995	4345										
11L-15SL	30 mph	1710 (4)	1930	2150 (6)	2340	2540 (8)	2760	2910 (10)	3080	3200 (12)	3420	3520	3640 (14)	3960 (16)	4180 (18)
	Duals	1505	1700	1890	2060	2235	2430	2560	2710	2815	3010	3100	3205	3485	3680
	10 mph	1965	2220	2475	2690	2920	3175	3345	3540	3680	3935	4050	4185	4555	4805
	Duals	1730	1955	2180	2365	2570	2795	2945	3115	3240	3465	3565	3685	4010	4230
	Stationary	3420	3860	4300	4680	5080	5520	5820	6160	6400	6840	7040	7280	7920	8360
Duals	3010	3395	3785	4120	4470	4860	5120	5420	5630	6020	6195	6405	6970	7355	
11L-16SL	30 mph	1760 (4)	2040	2270 (6)	2470	2680 (8)	2830	3000 (10)							
	Duals	1550	1795	2000	2175	2360	2490	2640							
	10 mph	2025	2345	2610	2840	3080	3255	3450							
	Duals	1780	2065	2295	2500	2710	2865	3035							
	Stationary	3520	4080	4540	4940	5360	5660	6000							
Duals	3100	3590	3995	4345	4715	4980	5280								
11.25-24SL	30 mph	--	3300	3640 (6)	4080 (8)	4300	4680 (10)	4940	5200 (12)						
	Duals	--	2905	3205	3590	3785	4120	4345	4575						
	10 mph	--	3795	4185	4690	4945	5380	5680	5980						
	Duals	--	3340	3685	4125	4350	4735	5000	5260						
	Stationary	--	6600	7280	8160	8600	9360	9880	10400						
Duals	--	5810	6405	7180	7570	8235	8695	9150							
11.25-28SL	30 mph	--	3420	3860 (6)	4180 (8)	4540	4800 (10)	5080	5360 (12)						
	Duals	--	3010	3395	3680	3995	4225	4470	4715						
	10 mph	--	3935	4440	4805	5220	5520	5840	6165						
	Duals	--	3465	3905	4230	4595	4860	5140	5425						
	Stationary	--	6840	7720	8360	9080	9600	10160	10720						
Duals	--	6020	6795	7355	7990	8450	8940	9435							
12.5L-15SL	30 mph	1980 (4)	2270	2540 (6)	2760	3000 (8)	3200	3420 (10)	3640	3860 (12)	3960 (14)	4180	4300 (16)	4680 (18)	4940 (20)
	Duals	1740	2000	2235	2430	2640	2815	3010	3205	3395	3485	3680	3785	4120	4345
	10 mph	2275	2610	2920	3175	3450	3680	3935	4185	4440	4555	4805	4945	5380	5680
	Duals	2000	2295	2570	2795	3035	3240	3465	3685	3905	4010	4230	4350	4735	5000
	Stationary	3960	4540	5080	5520	6000	6400	6840	7280	7720	7920	8360	8600	9360	9880
Duals	3485	3995	4470	4860	5280	5630	6020	6405	6795	6970	7355	7570	8235	8695	
12.5-16SL	30 mph	2090 (4)	2400	2680 (6)	2910	3080 (8)	3300	3520 (10)	3740	3960 (12)	4180 (14)				
	Duals	1840	2110	2360	2560	2710	2905	3100	3290	3485	3680				
	10 mph	2405	2760	3080	3345	3540	3795	4050	4300	4555	4805				
	Duals	2115	2430	2710	2945	3115	3340	3565	3785	4010	4230				
	Stationary	4180	4800	5360	5820	6160	6600	7040	7480	7920	8360				
Duals	3680	4225	4715	5120	5420	5810	6195	6580	6970	7355					
12.5/80-18 4710@46psi	30 mph	2680 (4)	3080	3420 (6)	3740	3960 (8)	4300	4540	4800 (10)	5080	5360 (12)				
	Duals	2360	2710	3010	3290	3485	3785	3995	4225	4470	4715				
	10 mph	3080	3540	3935	4300	4555	4945	5220	5520	5840	6165				
	Duals	2710	3115	3465	3785	4010	4350	4595	4860	5140	5425				
	Stationary	5360	6160	6840	7480	7920	8600	9080	9600	10160	10720				
Duals	4715	5420	6020	6580	6970	7570	7990	8450	8940	9435					
13.50-16.1SL	30 mph	--	3520 (6)												
	Duals	--	3100												
	10 mph	--	4050												
	Duals	--	3565												
	Stationary	--	7040												
Duals	--	6195													
14L-16.1SL	30 mph	2760	3200 (6)	3520	3860 (8)	4180 (10)	4400	4680 (12)	4940	5200 (14)					
	Duals	2430	2815	3100	3395	3680	3870	4120	4345	4575					
	10 mph	3175	3680	4050	4440	4805	5060	5380	5680	5980					
	Duals	2795	3240	3565	3905	4230	4455	4735	5000	5260					
	Stationary	5520	6400	7040	7720	8360	8800	9360	9880	10400					
Duals	4860	5630	6195	6795	7355	7745	8235	8695	9150						
14.5/75-16.1SL	30 mph	1980 (4)	2270	2540 (6)	2760	3000 (8)	3200	3420 (10)	3640	3860 (12)	4180	3960 (14)			
	Duals	1740	2000	2235	2430	2640	2815	3010	3100	3290	3485				
	10 mph	2275	2610	2920	3175	3450	3680	3935	4050	4300	4555				
	Duals	2000	2295	2570	2795	3035	3240	3465	3565	3785	4010				
	Stationary	3960	4540	5080	5520	6000	6400	6840	7040	7480	7920				
Duals	3485	3995	4470	4860	5280	5630	6020	6195	6580	6970					

Tread Codes

I-1	I-2	I-3
-----	-----	-----

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Reference Speed: 50 km/h		TIRE LOAD LIMITS (kg) AT VARIOUS COLD INFLATION PRESSURES (kPa)													
Tire Size	Speed	140	165/170	190	220	250	275/280	300	330	360	385/380	415/410	440	500	550
		1.4	1.7	1.9	2.2	2.5	2.8	3	3.3	3.6	3.8	4.1	4.4	5	5.5
11L-14SL	50 km/h	730 (4)	850	925 (6)	1030	1120 (8)									
	Duals	640	750	815	905	985									
	15 km/h	840	975	1065	1185	1290									
	Duals	740	860	935	1045	1135									
	Stationary	1460	1700	1850	2060	2240									
11L-15SL	50 km/h	775 (4)	875	975 (6)	1060	1150 (8)	1250	1320 (10)	1400	1450 (12)	1550	1600	1650 (14)	1800 (16)	1900 (18)
	Duals	680	770	860	935	1010	1100	1160	1230	1275	1365	1410	1450	1585	1670
	15 km/h	890	1005	1120	1220	1325	1440	1520	1610	1665	1780	1840	1895	2070	2185
	Duals	785	885	985	1075	1165	1265	1340	1415	1465	1565	1620	1670	1820	1925
	Stationary	1550	1750	1950	2120	2300	2500	2640	2800	2900	3100	3200	3300	3600	3800
11L-16SL	50 km/h	800 (4)	925	1030 (6)	1120	1215 (8)	1285	1360 (10)							
	Duals	705	815	905	985	1070	1130	1195							
	15 km/h	920	1065	1185	1290	1395	1480	1565							
	Duals	810	935	1045	1135	1230	1300	1375							
	Stationary	1600	1850	2060	2240	2430	2570	2720							
11.25-24SL	50 km/h	--	1500	1650 (6)	1850 (8)	1950	2120 (10)	2240	2360 (12)						
	Duals	--	1320	1450	1630	1715	1865	1970	2075						
	15 km/h	--	1725	1895	2130	2245	2440	2575	2715						
	Duals	--	1520	1670	1875	1975	2145	2265	2390						
	Stationary	--	3000	3300	3700	3900	4240	4480	4720						
11.25-28SL	50 km/h	--	1550	1750 (6)	1900 (8)	2060	2180 (10)	2300	2430 (12)						
	Duals	--	1365	1540	1670	1815	1920	2025	2140						
	15 km/h	--	1780	2010	2185	2370	2505	2645	2795						
	Duals	--	1565	1770	1925	2085	2205	2330	2460						
	Stationary	--	3100	3500	3800	4120	4360	4600	4860						
12.5L-15SL	50 km/h	900 (4)	1030	1150 (6)	1250	1360 (8)	1450	1550 (10)	1650	1750 (12)	1800 (14)	1900	1950 (16)	2120 (18)	2240 (20)
	Duals	790	905	1010	1100	1195	1275	1365	1450	1540	1585	1670	1715	1865	1970
	15 km/h	1035	1185	1325	1440	1565	1665	1780	1895	2010	2070	2185	2245	2440	2575
	Duals	910	1045	1165	1265	1375	1465	1565	1670	1770	1820	1925	1975	2145	2265
	Stationary	1800	2060	2300	2500	2720	2900	3100	3300	3500	3600	3800	3900	4240	4480
12.5-16SL	50 km/h	950 (4)	1090	1215 (6)	1320	1400 (8)	1500	1600 (10)	1700	1800 (12)	1900 (14)				
	Duals	835	960	1070	1160	1230	1320	1410	1495	1585	1670				
	15 km/h	1095	1255	1395	1520	1610	1725	1840	1955	2070	2185				
	Duals	965	1105	1230	1340	1415	1520	1620	1720	1820	1925				
	Stationary	1900	2180	2430	2640	2800	3000	3200	3400	3600	3800				
12.5/80-18 2140@310kPa	50 km/h	1215 (4)	1400	1550 (6)	1700	1800 (8)	1950	2060	2180 (10)	2300	2430 (12)				
	Duals	1070	1230	1365	1495	1585	1715	1815	1920	2025	2140				
	15 km/h	1395	1610	1780	1955	2070	2245	2370	2505	2645	2795				
	Duals	1230	1415	1565	1720	1820	1975	2085	2205	2330	2460				
	Stationary	2430	2800	3100	3400	3600	3900	4120	4360	4600	4860				
13.50-16.1SL	50 km/h	--	1600 (6)												
	Duals	--	1410												
	15 km/h	--	1840												
	Duals	--	1620												
	Stationary	--	3200												
14L-16.1SL	50 km/h	1250	1450 (6)	1600	1750 (8)	1900 (10)	2000	2120 (12)	2240	2360 (14)					
	Duals	1100	1275	1410	1540	1670	1760	1865	1970	2075					
	15 km/h	1440	1665	1840	2010	2185	2300	2440	2575	2715					
	Duals	1265	1465	1620	1770	1925	2025	2145	2265	2390					
	Stationary	2500	2900	3200	3500	3800	4000	4240	4480	4720					
14.5/75-16.1SL	50 km/h	900 (4)	1030	1150 (6)	1250	1360 (8)	1450 (10)	1550	1600 (12)	1700	1800 (14)				
	Duals	790	905	1010	1100	1195	1275	1365	1410	1495	1585				
	15 km/h	1035	1185	1325	1440	1565	1665	1780	1840	1955	2070				
	Duals	910	1045	1165	1265	1375	1465	1565	1620	1720	1820				
	Stationary	1800	2060	2300	2500	2720	2900	3100	3200	3400	3600				

Tread Codes		
I-1	I-2	I-3

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Reference Speed: 30 mph		TIRE LOAD LIMITS (LBS.) AT VARIOUS COLD INFLATION PRESSURES (PSI)													
Tire Size	Speed	20	24	28	32	36	40	44	48	52	56	60	64	72	80
16.5L-16.1SL	30 mph	3520	3960 (6)	4400 (8)	4800	5200 (10)	5680 (12)	6000	6400 (14)	6600 (16)	6950	7400 (18)	7600 (20)		
	Duals	3100	3485	3870	4225	4575	5000	5280	5630	5810	6115	6510	6690		
	10 mph	4050	4555	5060	5520	5980	6530	6900	7360	7590	7990	8510	8740		
	Duals	3565	4010	4455	4860	5260	5745	6070	6475	6680	7030	7490	7690		
	Stationary	7040	7920	8800	9600	10400	11360	12000	12800	13200	13900	14800	15200		
	Duals	6195	6970	7745	8450	9150	9995	10560	11265	11615	12230	13025	13375		
19L-16.1SL	30 mph	4400 (6)	4940 (8)	5520	6000 (10)	6600 (12)	6950 (14)	7400 (16)	7850	8250 (18)					
	Duals	3870	4345	4860	5280	5810	6115	6510	6910	7260					
	10 mph	5060	5680	6350	6900	7590	7990	8510	9030	9490					
	Duals	4455	5000	5590	6070	6680	7030	7490	7945	8350					
	Stationary	8800	9880	11040	12000	13200	13900	14800	15700	16500					
	Duals	7745	8695	9715	10560	11615	12230	13025	13815	14520					
21.5L-16.1SL	30 mph	5200	6000 (8)	6600 (10)	7150 (12)	7850 (14)	8550 (16)	8800 (18)							
	Duals	4575	5280	5810	6290	6910	7525	7745							
	10 mph	5980	6900	7590	8225	9030	9835	10120							
	Duals	5260	6070	6680	7240	7945	8655	8905							
	Stationary	10400	12000	13200	14300	15700	17100	17600							
	Duals	9150	10560	11615	12585	13815	15050	15490							
20.5/5.50-12	30 mph	480 (2)	550	615	675	740 (4)									
	Duals	420	485	540	595	650									
	10 mph	550	635	705	775	850									
	Duals	485	560	620	680	750									
	Stationary	960	1100	1230	1350	1480									
	Duals	845	970	1080	1190	1300									
26/6.50-15 1430@45psi	30 mph	825	935 (2)	1050	1140	1230	1320	1390 (4)							
	Duals	725	825	925	1005	1080	1160	1225							
	10 mph	950	1075	1210	1310	1415	1520	1600							
	Duals	835	945	1065	1155	1245	1340	1410							
	Stationary	1650	1870	2100	2280	2460	2640	2780							
	Duals	1450	1645	1850	2005	2165	2325	2445							
26/7.75-15 1710@45psi	30 mph	965	1100 (2)	1230	1360	1480	1570	1650 (4)							
	Duals	850	970	1080	1195	1300	1380	1450							
	10 mph	1110	1265	1415	1565	1700	1805	1895							
	Duals	975	1115	1245	1375	1495	1590	1670							
	Stationary	1930	2200	2460	2720	2960	3140	3300							
	Duals	1700	1935	2165	2395	2605	2765	2905							
26/9.5-15	30 mph	1100	1280 (2)	1390	1520	1650	1760	1870 (4)							
	Duals	970	1125	1225	1340	1450	1550	1645							
	10 mph	1265	1470	1600	1750	1895	2025	2150							
	Duals	1115	1295	1410	1540	1670	1780	1890							
	Stationary	2200	2560	2780	3040	3300	3520	3740							
	Duals	1935	2255	2445	2675	2905	3100	3290							
LSW280/70D20 3840@54psi	30 mph	1980	2270 (4)	2540	2760	3000 (6)	3200	3420 (8)	3640	3740					
	Duals	1740	2000	2235	2430	2640	2815	3010	3205	3290					
	10 mph	2275	2610	2920	3175	3450	3680	3935	4185	4300					
	Duals	2000	2295	2570	2795	3035	3240	3465	3685	3785					
	Stationary	3960	4540	5080	5520	6000	6400	6840	7280	7480					
	Duals	3485	3995	4470	4860	5280	5630	6020	6405	6580					
LSW320/70D20 4710@46psi	30 mph	2680 (4)	3080	3420 (6)	3740	3960 (8)	4300	4540	4800 (10)	5080	5360 (12)				
	Duals	2360	2710	3010	3290	3485	3785	3995	4225	4470	4715				
	10 mph	3080	3540	3935	4300	4555	4945	5220	5520	5840	6165				
	Duals	2710	3115	3465	3785	4010	4350	4595	4860	5140	5425				
	Stationary	5360	6160	6840	7480	7920	8600	9080	9600	10160	10720				
	Duals	4715	5420	6020	6580	6970	7570	7990	8450	8940	9435				

Load and Inflation Table

Diagonal (Bias) Agricultural Implement Tires

Tread Codes		
I-1	I-2	I-3

Reference Speed: 50 km/h		TIRE LOAD LIMITS (kg) AT VARIOUS COLD INFLATION PRESSURES (kPa)													
Tire Size	Speed	140	165/170	190	220	250	275/280	300	330	360	385/380	415/410	440	500	550
		1.4	1.7	1.9	2.2	2.5	2.8	3	3.3	3.6	3.8	4.1	4.4	5	5.5
16.5L-16.1SL	50 km/h	1600	1800 (6)	2000 (8)	2180	2360 (10)	2575 (12)	2725	2900 (14)	3000 (16)	3150	3350 (18)	3450 (20)		
	Duals	1410	1585	1760	1920	2075	2265	2400	2550	2640	2770	2950	3035		
	15 km/h	1840	2070	2300	2505	2715	2960	3135	3335	3450	3620	3850	3965		
	Duals	1620	1820	2025	2205	2390	2605	2760	2935	3035	3185	3390	3490		
	Stationary	3200	3600	4000	4360	4720	5150	5450	5800	6000	6300	6700	6900		
	Duals	2815	3170	3520	3835	4155	4530	4795	5105	5280	5545	5895	6070		
19L-16.1SL	50 km/h	2000 (6)	2240 (8)	2500	2725 (10)	3000 (12)	3150 (14)	3350 (16)	3550	3750 (18)					
	Duals	1760	1970	2200	2400	2640	2770	2950	3125	3300					
	15 km/h	2300	2575	2875	3135	3450	3620	3850	4080	4315					
	Duals	2025	2265	2530	2760	3035	3185	3390	3590	3795					
	Stationary	4000	4480	5000	5450	6000	6300	6700	7100	7500					
	Duals	3520	3940	4400	4795	5280	5545	5895	6250	6600					
21.5L-16.1SL	50 km/h	2360	2725 (8)	3000 (10)	3250 (12)	3550 (14)	3875 (16)	4000 (18)							
	Duals	2075	2400	2640	2860	3125	3410	3520							
	15 km/h	2715	3135	3450	3735	4080	4455	4600							
	Duals	2390	2760	3035	3285	3590	3920	4050							
	Stationary	4720	5450	6000	6500	7100	7750	8000							
	Duals	4155	4795	5280	5720	6250	6820	7040							
20.5/5.50-12	50 km/h	218 (2)	250	280	307	335 (4)									
	Duals	190	220	245	270	295									
	15 km/h	250	290	320	355	385									
	Duals	220	255	280	310	340									
	Stationary	435	500	560	615	670									
	Duals	385	440	495	540	590									
26/6.50-15 650@310kPa	50 km/h	375	425 (2)	475	515	560	600	630 (4)							
	Duals	330	375	420	455	495	530	555							
	15 km/h	430	490	545	590	645	690	725							
	Duals	380	430	480	520	570	605	640							
	Stationary	750	850	950	1030	1120	1200	1260							
	Duals	660	750	835	905	985	1055	1110							
26/7.75-15 775@310kPa	50 km/h	437	500 (2)	560	615	670	710	750 (4)							
	Duals	385	440	495	540	590	625	660							
	15 km/h	505	575	645	705	770	815	860							
	Duals	445	505	570	620	680	715	755							
	Stationary	875	1000	1120	1230	1340	1420	1500							
	Duals	770	880	985	1080	1180	1250	1320							
26/9.5-15	50 km/h	500	580 (2)	630	690	750	800	850 (4)							
	Duals	440	510	555	605	660	705	750							
	15 km/h	575	665	725	795	860	920	975							
	Duals	505	585	640	700	755	810	860							
	Stationary	1000	1160	1260	1380	1500	1600	1700							
	Duals	880	1020	1110	1215	1320	1410	1495							
LSW280/70D20 1740@370kPa	50 km/h	900	1030 (4)	1150	1250	1360 (6)	1450	1550 (8)	1650	1700					
	Duals	790	905	1010	1100	1195	1275	1365	1450	1495					
	15 km/h	1035	1185	1325	1440	1565	1665	1780	1895	1955					
	Duals	910	1045	1165	1265	1375	1465	1565	1670	1720					
	Stationary	1800	2060	2300	2500	2720	2900	3100	3300	3400					
	Duals	1585	1815	2025	2200	2395	2550	2730	2905	2990					
LSW320/70D20 2140@310kPa	50 km/h	1215 (4)	1400	1550 (6)	1700	1800 (8)	1950	2060	2180 (10)	2300	2430 (12)				
	Duals	1070	1230	1365	1495	1585	1715	1815	1920	2025	2140				
	15 km/h	1395	1610	1780	1955	2070	2245	2370	2505	2645	2795				
	Duals	1230	1415	1565	1720	1820	1975	2085	2205	2330	2460				
	Stationary	2430	2800	3100	3400	3600	3900	4120	4360	4600	4860				
	Duals	2140	2465	2730	2990	3170	3430	3625	3835	4050	4275				